

# CERTIFICATE OF ANALYSIS

**PRODUCT NAME:** Certified Organic CBD Tincture - Orange  
**PRODUCT STRENGTH:** 900 mg  
**FILL LOT NUMBER:** NA  
**TINCTURE BATCH** 21141A  
**BEST BY DATE:** 11/21/2022  
**HEMP EXTRACT LOT\*:** [B1020-002](#)

\*Click on the links to view third-party reports\*

### Physical Attributes

Test	Method	Specification	Results
Color	SOP-100	Golden to Amber	PASS
Odor	SOP-100	Coconut and hemp, orange	PASS
Appearance	SOP-100	Golden to Amber oil in brown glass bottle with dropper	PASS
Primary Package Eval.	SOP-132	Container clean and free of filth. Container caps tight and shrink bands intact	PASS
Secondary Package Eval.	SOP-132	Labeling Compliance Checked, Cartons sturdy and clean. Sufficient cushion material exists. Box taped and secure.	PASS

### Review of Third-Party Analysis

Panel	Method	Specification	Results*	Pass/Fail
<b>Potency - Total CBD</b>	SOP-111	900-1,125 mg CBD LOQ** : 10 PPM† (0.001%)	<b>930.5 mg</b>	PASS
<b>Potency - D9-THC</b>	SOP-111	None Detected LOQ: 10 PPM (0.001%)	<b>ND</b>	PASS
<b>Compliant Pesticide Panel</b>	SOP-111	WIP-100008 : Product specification for Tinctures, Oregon Action limits apply	<b>ND</b>	PASS
<b>Microbial - Stec E.Coli</b>	SOP-111	Complies with USP 61/62	<b>Below LOQ</b>	PASS
<b>Microbial - Salmonella</b>	SOP-111	Complies with USP 61/62	<b>Below LOQ</b>	PASS
<b>Microbial - Yeast and Mold</b>	SOP-111	Complies with USP 61/62	<b>Below LOQ</b>	PASS
<b>CA Compliant Heavy Metal Panel</b>	SOP-111	Arsenic (As): ≤1.5 PPM Cadmium (Cd): ≤0.5 PPM Mercury (Hg): ≤1.0 PPM Lead (Pb): ≤0.5 PPM	<b>ND</b>	PASS

\*\*Level of Quantitation, † Parts Per Million

Quality Certified *Kayla Kolber* 05/28/2021  
 Kayla Kolber \_\_\_\_\_  
 Quality Assurance Technician Date



B1020-002

25004

7USC1639 Certificate of Analysis

This Product Has Been Tested and Complies with 7USC1639o(1)

Stillwater Laboratories


certificate ID OKR46

total cannabinoids per 947.1 mg 30 mL

THC± ND CBD± 930.5mg

order 8689 received 10/22/2020 12:01:11 PM test tag source ID 25004 sample wgt 15.0 g

7USC1639 Infused



General

DESCRIPTION: Oil sample (15.00g) received in a client-labeled bottle, by commercial courier. Labeled 25004.

Table with columns: Potency, per 30 mL, LOD, LOQ, error (95%CI k=2). Rows include tetrahydrocannabinolic acid (THCa), Δ9-tetrahydrocannabinol (Δ9 THC), Δ8-tetrahydrocannabinol (Δ8 THC), tetrahydrocannabinavarin (THCv), cannabidiolic acid (CBDa), cannabidiol (CBD), cannabidivarin (CBDv), cannabigerolic acid (CBGa), cannabigerol (CBG), cannabinalol (CBN), and cannabichromene (CBC).

± = decarbed NT = not tested NL = no limit, ND = not detected, LOD = detection limit , LOQ = quantitation limit

Table with columns: Microbial, result, limit, Metals, result, limit, Pesticides, result, limit, Pesticides, result, limit. Rows include E coli, Salmonella sp., molds, Ochratoxin A, Aflatoxin, Acetone, Acetonitrile, Benzene, Butane, Chloroform, Cyclohexane, Ethanol, Heptane, Hexane, Isopropyl alcohol, Methanol, Pentane, Propane, Toluene, Xylenes, Arsenic, Cadmium, Lead, Mercury, Abamectin, Acephate, Acequinocyl, Acetamiprid, Aldicarb, Azoxystrobin, Bifenazate, Bifenthrin, Boscalid, Carbaryl, Carbofuran, Chloantraniliprole, Chlorfenapyr, Chlorpyrifos, Clofentezine, Coumaphos, Cyfluthrin, Cypermethrin, Daminozide, Dichlorvos, Diazinon, Dimethoate, Etoxazole, Fenoxycarb, Fenpyroximate, Fipronil, Flonicamid, Fludioxonil, Hexythiazox, Imazalil, Imidacloprid, Malathion, Metalaxyl, Methiocarb, Methomyl, Methyl parathion, Mevinphos, Myclobutanil, Naled, Oxamyl, Paclobutrazol, Permethrin, Phosmet, Piperonylbutoxide, Prallethrin, Propoxur, Propiconazole, Pyrethrin, Pyridaben, Spinetoram, Spinosad, Spiromesifen, Spirotetramat, Spiroxamine, Tebuconazole, Thiachloprid, Thiamethoxam, Trifloxystrobin.

INSTRUMENTS: potency: HPLC (LC2030C-UV) terpenes: GCMS (QP2020/HS20) solvents: GCMS (QP2020/HS20) pesticides: LCMSMS (LC8060) mycotoxins: LCMSMS (LC8060) microbial: qPCR (AriaMx) and plating metals: ICPMS (ICPMS-2030)

SECURITY FEATURE: WATERMARK MUST MATCH CERTIFICATE ID AND ISSUE DATE

Certified by:

Signature of Justin M Johnston

Justin M Johnston Deputy Director

Stillwater Laboratories Inc. MT License L00001, 7, 8 6073 US93N Suite 5 Olney MT 59927 406-881-2019

Printed 10/23/2020 4:04 PM

The data in this report is the property of Stillwater Labs. The format, layout, and security features of this report are copyrighted by Stillwater Laboratories Inc. © 2020



ISO/IEC 17025:2017



Certificate #4961-01

https://portal.a2la.org/scopepdf/4961-01.pdf

certificate ID  
**1ES01**

**OTO900-21141A**

# 7USC1639 Certificate of Analysis



rec'd 5/24/2021 10:52:27 AM

order 10827

per

**This Product Has Been Tested and Complies with 7USC1639o(1)**

Stillwater Laboratories



per

Microbial	MSP-7.5.1.10	limit	LOD	LOQ	error	result
E.coli	ND	0CFU	0.01	0.11	±0.1CFU	PASS
Salmonella sp.	ND	0CFU	0.01	0.11	±0.1CFU	PASS
molds	ND	10000CFU	1.8	5.5	±5.5CFU	PASS

SECURITY FEATURE: WATERMARK MUST MATCH CERTIFICATE ID AND ISSUE DATE

Certified by:

Kyle Larson, MSC  
Deputy Director



<https://customer.a2la.org/index.cfm?event=directory.detail&labPID=423635B2-5128-4C6F-871A-419DCF43B0D7>

**Stillwater Laboratories Inc.**  
MT License L0001, L00007  
6073 US93N Suite 5, Olney MT 59927  
406-881-2019

INSTRUMENTS: Potency by HPLC (LC2030C-UV), solvents and terpenes by GCMS (QP2020/HS20), pesticides and mycotoxins by LCMSMS (LC8060), microbial by qPCR (AriaMx) and plating (Hardy Diagnostics), metals by ICPMS (ICPMS-2030)

• All testing was completed onsite at 6073 US93N, Olney MT • Potency (cannabinoid concentration) is calculated as:  $[\text{cannabinoid}] = [\text{cannabinoid}]_{\text{HPLC}} \times \text{volume}_{\text{dilution}} / \text{M}_{\text{dry}}$  • Decarboxyted cannabinoid concentration is calculated  $\text{XXX}_{\text{total}} = 0.877 \times \text{XXXa} + \text{XXX}$  • Standards are used to calibrate the resulting data and estimate error using a standard estimate of error method; LOD is the limit of detection (3.3s), LOQ is the limit of quantification (3xLOD), and experimental error is calculated from weighing, dilution, and interpolation error using the formula  $s_e^2 = \sum (\partial f / \partial i)^2 s_i^2$  where i is the contributor to error. The 95% confidence range is calculated from:  $(\text{concentration}) \pm t_{\text{CL},90} \times s_e$ . Sampling error is not considered in error calculations. ND = not detected (< LOD), NT = not tested, NL = no limit, NA = not applicable. ‡ = decarbed

Printed 5/28/2021 9:06 AM